

THE LOWER EXTREMITY FUNCTIONAL SCALE

We are interested in knowing whether you are having any difficulty at all with the activities listed below because of your lower limb Problem for which you are currently seeking attention. Please provide an answer for **each** activity.

Today, do you or would you have any difficulty at all with:

	Activities	Extreme Difficulty or Unable to Perform Activity	Quite a Bit of Difficulty	Moderate Difficulty	A Little Bit of Difficulty	No Difficulty
1	Any of your usual work, housework, or school activities.	0	1	2	3	4
2	Your usual hobbies, recreational or sporting activities.	0	1	2	3	4
3	Getting into or out of the bath.	0	1	2	3	4
4	Walking between rooms.	0	1	2	3	4
5	Putting on your shoes or socks.	0	1	2	3	4
6	Squatting.	0	1	2	3	4
7	Lifting an object, like a bag of groceries from the floor.	0	1	2	3	4
8	Performing light activities around your home.	0	1	2	3	4
9	Performing heavy activities around your home.	0	1	2	3	4
10	Getting into or out of a car.	0	1	2	3	4
11	Walking 2 blocks.	0	1	2	3	4
12	Walking a mile.	0	1	2	3	4
13	Going up or down 10 stairs (about 1 flight of stairs).	0	1	2	3	4
14	Standing for 1 hour.	0	1	2	3	4
15	Sitting for 1 hour.	0	1	2	3	4
16	Running on even ground.	0	1	2	3	4
17	Running on uneven ground.	0	1	2	3	4
18	Making sharp turns while running fast.	0	1	2	3	4
19	Hopping.	0	1	2	3	4
20	Rolling over in bed.	0	1	2	3	4
Column Totals:						

Minimum Level of Detectable Change (90% Confidence): 9 points

SCORE: ____ / 80

Please submit the sum of responses.
 Reprinted from Binkley, J., Stratford, P., Lott, S., Riddle, D., & The North American Orthopaedic Rehabilitation Research Network, *The Lower Extremity Functional Scale: Scale development, measurement properties, and clinical application*, Physical Therapy, 1999, 79, 4371-383, with permission of the American Physical Therapy Association.

Neck Index

Form N1-100

rev 3/27/2003

Patient Name _____ Date _____

This questionnaire will give your provider information about how your neck condition affects your everyday life. Please answer every section by marking the one statement that applies to you. If two or more statements in one section apply, please mark the one statement that most closely describes your problem.

Pain Intensity

- Ⓐ I have no pain at the moment.
- ① The pain is very mild at the moment.
- ② The pain comes and goes and is moderate.
- ③ The pain is fairly severe at the moment.
- ④ The pain is very severe at the moment.
- ⑤ The pain is the worst imaginable at the moment.

Sleeping

- Ⓐ I have no trouble sleeping.
- ① My sleep is slightly disturbed (less than 1 hour sleepless).
- ② My sleep is mildly disturbed (1-2 hours sleepless).
- ③ My sleep is moderately disturbed (2-3 hours sleepless).
- ④ My sleep is greatly disturbed (3-5 hours sleepless).
- ⑤ My sleep is completely disturbed (5-7 hours sleepless).

Reading

- Ⓐ I can read as much as I want with no neck pain.
- ① I can read as much as I want with slight neck pain.
- ② I can read as much as I want with moderate neck pain.
- ③ I cannot read as much as I want because of moderate neck pain.
- ④ I can hardly read at all because of severe neck pain.
- ⑤ I cannot read at all because of neck pain.

Concentration

- Ⓐ I can concentrate fully when I want with no difficulty.
- ① I can concentrate fully when I want with slight difficulty.
- ② I have a fair degree of difficulty concentrating when I want.
- ③ I have a lot of difficulty concentrating when I want.
- ④ I have a great deal of difficulty concentrating when I want.
- ⑤ I cannot concentrate at all.

Work

- Ⓐ I can do as much work as I want.
- ① I can only do my usual work but no more.
- ② I can only do most of my usual work but no more.
- ③ I cannot do my usual work.
- ④ I can hardly do any work at all.
- ⑤ I cannot do any work at all.

Personal Care

- Ⓐ I can look after myself normally without causing extra pain.
- ① I can look after myself normally but it causes extra pain.
- ② It is painful to look after myself and I am slow and careful.
- ③ I need some help but I manage most of my personal care.
- ④ I need help every day in most aspects of self care.
- ⑤ I do not get dressed, I wash with difficulty and stay in bed.

Lifting

- Ⓐ I can lift heavy weights without extra pain.
- ① I can lift heavy weights but it causes extra pain.
- ② Pain prevents me from lifting heavy weights off the floor, but I can manage if they are conveniently positioned (e.g., on a table).
- ③ Pain prevents me from lifting heavy weights off the floor, but I can manage light to medium weights if they are conveniently positioned.
- ④ I can only lift very light weights.
- ⑤ I cannot lift or carry anything at all.

Driving

- Ⓐ I can drive my car without any neck pain.
- ① I can drive my car as long as I want with slight neck pain.
- ② I can drive my car as long as I want with moderate neck pain.
- ③ I cannot drive my car as long as I want because of moderate neck pain.
- ④ I can hardly drive at all because of severe neck pain.
- ⑤ I cannot drive my car at all because of neck pain.

Recreation

- Ⓐ I am able to engage in all my recreation activities without neck pain.
- ① I am able to engage in all my usual recreation activities with some neck pain.
- ② I am able to engage in most but not all my usual recreation activities because of neck pain.
- ③ I am only able to engage in a few of my usual recreation activities because of neck pain.
- ④ I can hardly do any recreation activities because of neck pain.
- ⑤ I cannot do any recreation activities at all.

Headaches

- Ⓐ I have no headaches at all.
- ① I have slight headaches which come infrequently.
- ② I have moderate headaches which come infrequently.
- ③ I have moderate headaches which come frequently.
- ④ I have severe headaches which come frequently.
- ⑤ I have headaches almost all the time.

Neck
Index
Score

Index Score = [Sum of all statements selected / (# of sections with a statement selected x 5)] x 100

Pelvic Floor Impact Questionnaire -- short form 7

Instructions: Some women find that bladder, bowel or vaginal symptoms affect their activities, relationships, and feelings. For each question, place an **X** in the response that best describes how much your activities, relationships or feelings have been affected by your bladder, bowel or vaginal symptoms or conditions over the last 3 months. Please be sure to mark an answer in **all 3 columns** for each question. Thank you for your cooperation.

How do symptoms or conditions related to the following usually affect your ↓	→→→→→ <i>Bladder or urine</i>	<i>Bowel or rectum</i>	<i>Vagina or pelvis</i>
1. ability to do household chores (cooking, housecleaning, laundry)?	<input type="checkbox"/> Not at all <input type="checkbox"/> Somewhat <input type="checkbox"/> Moderately <input type="checkbox"/> Quite a bit	<input type="checkbox"/> Not at all <input type="checkbox"/> Somewhat <input type="checkbox"/> Moderately <input type="checkbox"/> Quite a bit	<input type="checkbox"/> Not at all <input type="checkbox"/> Somewhat <input type="checkbox"/> Moderately <input type="checkbox"/> Quite a bit
2. ability to do physical activities such as walking, swimming, or other exercise?	<input type="checkbox"/> Not at all <input type="checkbox"/> Somewhat <input type="checkbox"/> Moderately <input type="checkbox"/> Quite a bit	<input type="checkbox"/> Not at all <input type="checkbox"/> Somewhat <input type="checkbox"/> Moderately <input type="checkbox"/> Quite a bit	<input type="checkbox"/> Not at all <input type="checkbox"/> Somewhat <input type="checkbox"/> Moderately <input type="checkbox"/> Quite a bit
3. entertainment activities such as going to a movie or concert?	<input type="checkbox"/> Not at all <input type="checkbox"/> Somewhat <input type="checkbox"/> Moderately <input type="checkbox"/> Quite a bit	<input type="checkbox"/> Not at all <input type="checkbox"/> Somewhat <input type="checkbox"/> Moderately <input type="checkbox"/> Quite a bit	<input type="checkbox"/> Not at all <input type="checkbox"/> Somewhat <input type="checkbox"/> Moderately <input type="checkbox"/> Quite a bit
4. ability to travel by car or bus for a distance greater than 30 minutes away from home?	<input type="checkbox"/> Not at all <input type="checkbox"/> Somewhat <input type="checkbox"/> Moderately <input type="checkbox"/> Quite a bit	<input type="checkbox"/> Not at all <input type="checkbox"/> Somewhat <input type="checkbox"/> Moderately <input type="checkbox"/> Quite a bit	<input type="checkbox"/> Not at all <input type="checkbox"/> Somewhat <input type="checkbox"/> Moderately <input type="checkbox"/> Quite a bit
5. participating in social activities outside your home?	<input type="checkbox"/> Not at all <input type="checkbox"/> Somewhat <input type="checkbox"/> Moderately <input type="checkbox"/> Quite a bit	<input type="checkbox"/> Not at all <input type="checkbox"/> Somewhat <input type="checkbox"/> Moderately <input type="checkbox"/> Quite a bit	<input type="checkbox"/> Not at all <input type="checkbox"/> Somewhat <input type="checkbox"/> Moderately <input type="checkbox"/> Quite a bit
6. emotional health (nervousness, depression, etc.)?	<input type="checkbox"/> Not at all <input type="checkbox"/> Somewhat <input type="checkbox"/> Moderately <input type="checkbox"/> Quite a bit	<input type="checkbox"/> Not at all <input type="checkbox"/> Somewhat <input type="checkbox"/> Moderately <input type="checkbox"/> Quite a bit	<input type="checkbox"/> Not at all <input type="checkbox"/> Somewhat <input type="checkbox"/> Moderately <input type="checkbox"/> Quite a bit
7. feeling frustrated?	<input type="checkbox"/> Not at all <input type="checkbox"/> Somewhat <input type="checkbox"/> Moderately <input type="checkbox"/> Quite a bit	<input type="checkbox"/> Not at all <input type="checkbox"/> Somewhat <input type="checkbox"/> Moderately <input type="checkbox"/> Quite a bit	<input type="checkbox"/> Not at all <input type="checkbox"/> Somewhat <input type="checkbox"/> Moderately <input type="checkbox"/> Quite a bit

Male Pelvic Pain & Urinary Functional Questionnaire

Pain or Discomfort

1. In the last week, have you experienced any pain or discomfort in the following areas?

- | | Yes | No |
|--|---------------------------------------|---------------------------------------|
| a. Area between rectum and testicles (perineum) | <input type="checkbox"/> ₁ | <input type="checkbox"/> ₀ |
| b. Testicles | <input type="checkbox"/> ₁ | <input type="checkbox"/> ₀ |
| c. Tip of the penis (not related to urination) | <input type="checkbox"/> ₁ | <input type="checkbox"/> ₀ |
| d. Below your waist, in your pubic or bladder area | <input type="checkbox"/> ₁ | <input type="checkbox"/> ₀ |

2. In the last week, have you experienced:

- | | Yes | No |
|--|---------------------------------------|---------------------------------------|
| a. Pain or burning during urination? | <input type="checkbox"/> ₁ | <input type="checkbox"/> ₀ |
| b. Pain or discomfort during or after sexual climax (ejaculation)? | <input type="checkbox"/> ₁ | <input type="checkbox"/> ₀ |

3. How often have you had pain or discomfort in any of these areas over the last week?

- ☐₀ Never
☐₁ Rarely
☐₂ Sometimes
☐₃ Often
☐₄ Usually
☐₅ Always

4. Which number best describes your AVERAGE pain or discomfort on the days that you had it, over the last week?

- ☐ 0 ☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 ☐ 6 ☐ 7 ☐ 8 ☐ 9 ☐ 10

NO PAIN

PAIN AS
BAD AS
YOU CAN
IMAGINE

Urination

5. How often have you had a sensation of not emptying your bladder completely after you finished urinating, over the last week?

- ☐₀ Not at all
☐₁ Less than 1 time in 5
☐₂ Less than half the time
☐₃ About half the time
☐₄ More than half the time
☐₅ Almost always

6. How often have you had to urinate again less than two hours after you finished urinating, over the last week?

- ☐₀ Not at all
☐₁ Less than 1 time in 5
☐₂ Less than half the time
☐₃ About half the time
☐₄ More than half the time
☐₅ Almost always

Impact of Symptoms

7. How much have your symptoms kept you from doing the kinds of things you would usually do, over the last week?

- ☐₀ None
☐₁ Only a little
☐₂ Some
☐₃ A lot

8. How much did you think about your symptoms, over the last week?

- ☐₀ None
☐₁ Only a little
☐₂ Some
☐₃ A lot

Quality of Life

9. If you were to spend the rest of your life with your symptoms just the way they have been during the last week, how would you feel about that?

- ☐₀ Delighted
☐₁ Pleased
☐₂ Mostly satisfied
☐₃ Mixed (about equally satisfied and dissatisfied)
☐₄ Mostly dissatisfied
☐₅ Unhappy
☐₆ Terrible

Scoring the NIH-Chronic Prostatitis Symptom Index Domains

Pain: Total of items 1a, 1b, 1c, 1d, 2a, 2b, 3, and 4 = _____

Urinary Symptoms: Total of items 5 and 6 = _____

Quality of Life Impact: Total of items 7, 8 and 9 = _____

Back Index

Form BI100

rev 3/27/2003

Patient Name _____ Date _____

This questionnaire will give your provider information about how your back condition affects your everyday life. Please answer every section by marking the one statement that applies to you. If two or more statements in one section apply, please mark the one statement that most closely describes your problem.

Pain Intensity

- ① The pain comes and goes and is very mild.
- ② The pain is mild and does not vary much.
- ③ The pain comes and goes and is moderate.
- ④ The pain is moderate and does not vary much.
- ⑤ The pain comes and goes and is very severe.
- ⑥ The pain is very severe and does not vary much.

Sleeping

- ① I get no pain in bed.
- ② I get pain in bed but it does not prevent me from sleeping well.
- ③ Because of pain my normal sleep is reduced by less than 25%.
- ④ Because of pain my normal sleep is reduced by less than 50%.
- ⑤ Because of pain my normal sleep is reduced by less than 75%.
- ⑥ Pain prevents me from sleeping at all.

Sitting

- ① I can sit in any chair as long as I like.
- ② I can only sit in my favorite chair as long as I like.
- ③ Pain prevents me from sitting more than 1 hour.
- ④ Pain prevents me from sitting more than 1/2 hour.
- ⑤ Pain prevents me from sitting more than 10 minutes.
- ⑥ I avoid sitting because it increases pain immediately.

Standing

- ① I can stand as long as I want without pain.
- ② I have some pain while standing but it does not increase with time.
- ③ I cannot stand for longer than 1 hour without increasing pain.
- ④ I cannot stand for longer than 1/2 hour without increasing pain.
- ⑤ I cannot stand for longer than 10 minutes without increasing pain.
- ⑥ I avoid standing because it increases pain immediately.

Walking

- ① I have no pain while walking.
- ② I have some pain while walking but it doesn't increase with distance.
- ③ I cannot walk more than 1 mile without increasing pain.
- ④ I cannot walk more than 1/2 mile without increasing pain.
- ⑤ I cannot walk more than 1/4 mile without increasing pain.
- ⑥ I cannot walk at all without increasing pain.

Personal Care

- ① I do not have to change my way of washing or dressing in order to avoid pain.
- ② I do not normally change my way of washing or dressing even though it causes some pain.
- ③ Washing and dressing increases the pain but I manage not to change my way of doing it.
- ④ Washing and dressing increases the pain and I find it necessary to change my way of doing it.
- ⑤ Because of the pain I am unable to do some washing and dressing without help.
- ⑥ Because of the pain I am unable to do any washing and dressing without help.

Lifting

- ① I can lift heavy weights without extra pain.
- ② I can lift heavy weights but it causes extra pain.
- ③ Pain prevents me from lifting heavy weights off the floor.
- ④ Pain prevents me from lifting heavy weights off the floor, but I can manage if they are conveniently positioned (e.g., on a table).
- ⑤ Pain prevents me from lifting heavy weights off the floor, but I can manage light to medium weights if they are conveniently positioned.
- ⑥ I can only lift very light weights.

Traveling

- ① I get no pain while traveling.
- ② I get some pain while traveling but none of my usual forms of travel make it worse.
- ③ I get extra pain while traveling but it does not cause me to seek alternate forms of travel.
- ④ I get extra pain while traveling which causes me to seek alternate forms of travel.
- ⑤ Pain restricts all forms of travel except that done while lying down.
- ⑥ Pain restricts all forms of travel.

Social Life

- ① My social life is normal and gives me no extra pain.
- ② My social life is normal but increases the degree of pain.
- ③ Pain has no significant affect on my social life apart from limiting my more energetic interests (e.g., dancing, etc).
- ④ Pain has restricted my social life and I do not go out very often.
- ⑤ Pain has restricted my social life to my home.
- ⑥ I have hardly any social life because of the pain.

Changing degree of pain

- ① My pain is rapidly getting better.
- ② My pain fluctuates but overall is definitely getting better.
- ③ My pain seems to be getting better but improvement is slow.
- ④ My pain is neither getting better or worse.
- ⑤ My pain is gradually worsening.
- ⑥ My pain is rapidly worsening.

Index Score = [Sum of all statements selected / (# of sections with a statement selected x 5)] x 100

Back
Index
Score

--